FEBS Letters 353 (1994) 350–352

# Contents to volume 353

## Research Letters


Immunoreactivity of chimeric proteins carrying the HIV-1 epitope IGPGRAF: Correlation between predicted conformation and antigenicity (FEBS 14585) *S.G. Tsiminetzky, E.A. Scodeller, P. Evangelisti, Y. Chen, M. Schiappacassi, F. Porro, F. Bizik, T. Zacchi, G. Lunazzi, S. Miertus, F.E. Baralle* 1

Autophosphorylation of nucleoside diphosphate kinase on non-histidine residues (FEBS 14610) *A.A. Bominaar, A.D. Tepper, M. Véron* 5

Rapid deactivation of MAP kinase in PC12 cells occurs independently of induction of phosphatase MKP-1 (FEBS 14613) *J. Wu, L.F. Lau, T.W. Sturgill* 9

Electrophoretic separation of developmental and adult rabbit skeletal muscle myosin heavy chain isoforms: example of application to muscle denervation study (FEBS 14615) *C. Janmot, A. d'Albis* 13

Epidermal growth factor induces protein tyrosine phosphorylation and association of p190 with ras-GTP-ase activating protein in Caco-2 cells (FEBS 14600) *A. Auricchio, M. di Domenico, G. Castoria, A. Bilancio, A. Migliaccio* 16

Molecular cloning of rat kynurenine aminotransferase: identity with glutamine transaminase K (FEBS 14616) *M. Mosca, L. Cozzi, J. Breton, C. Speciale, E. Okuno, R. Schwarcz, L. Benatti* 21

A unique biosynthetic pathway for gangliosides exists in *Xenopus laevis* oocytes (FEBS 14618) *K.I.-P. Jwa Hidari, Y. Nagai, Y. Sanai* 25

p53 mutant $His^{175}$ identified in a newly established fallopian tube carcinoma cell line secreting interleukin 6 (FEBS 14566) *I.B. Runnebaum, X.W. Tong, V.J. Möbus, D.G. Kieback, H.E. Rosenthal, R. Kreienberg* 29

Inhibition of lipolysis and lipogenesis in isolated rat adipocytes with AICAR, a cell-permeable activator of AMP-activated protein kinase (FEBS 14619) *J.E. Sullivan, K.J. Brocklehurst, A.E. Marley, F. Carey, D. Carling, R.K. Beri* 33

Cloning provides evidence for a family of inward rectifier and G-protein coupled $K^+$ channels in the brain (FEBS 14620) *F. Lesage, F. Duprat, M. Fink, E. Guillemare, T. Coppola, M. Lazdunski, J.-P. Hugnot* 37

Energy migration in allophycocyanin-B trimer with a linker polypeptide: analysis by the principal multi-component spectral estimation (PMSE) method (FEBS 14622) *T. Yamazaki, Y. Nishimura, I. Yamazaki, M. Hirano, K. Matsuura, K. Shimada, M. Mimuro* 43

Ganglioside antigen of DU-PAN-2 in a human pancreatic cancer (FEBS 14617) *Y. Hamanaka, S. Hamanaka, Y. Shinagawa, T. Suzuki, F. Inagaki, M. Suzuki, A. Suzuki* 48

Molecular mechanisms of damage by excess nitrogen oxides: nitration of tyrosine by gas-phase cigarette smoke (FEBS 14624) *J.P. Eiserich, V. Vossen, C.A. O'Neill, B. Halliwell, C.E. Cross, A. van der Vliet* 53

Molecular cloning and chromosomal localization of the human thrombopoietin gene (FEBS 14621) *Y. Sohma, H. Akahori, N. Seki, T. Hori, K. Ogami, T. Kato, Y. Shimada, K. Kawamura, H. Miyazaki* 57

Inhibition by *N*-acetyl-L-cysteine of interleukin-6 mRNA induction and activation of NF$\kappa$B by tumor necrosis factor $\alpha$ in a mouse fibroblastic cell line, Balb/3T3 (FEBS 14627) *M. Shibanuma, T. Kuroki, K. Nose* 62

GDP/GTP exchange reaction-stimulating activity of Rabphilin-3A for *Rab*3A small GTP-binding protein (FEBS 14628) *Y. Fujita, T. Sasaki, K. Araki, K. Takahashi, K. Imazumi, M. Kato, Y. Matsuura, Y. Takai* 67

Long circulating, cationic liposomes containing amino-PEG-phosphatidylethanolamine (FEBS 14626) *S. Zalipsky, E. Brandeis, M.S. Newman, M.C. Woodle* 71

The L-histidine-mediated enhancement of hydrogen peroxide-induced cytotoxicity is a general response in cultured mammalian cell lines and is always associated with the formation of DNA double strand breaks (FEBS 14623) *O. Cantoni, P. Sestili, G. Brandi, F. Cattabeni* 75

Effect of netropsin, distamycin A and chromomycin $A_3$ on the binding and cleavage reaction of DNA gyrase (FEBS 14611) *H. Simon, B. Wittig, C. Zimmer* 79

D-$Val^{22}$ containing human big endothelin-1 analog, [D-$Val^{22}$]Big ET-1[16-38], inhibits the endothelin converting enzyme (FEBS 14625) *A. Morita, M. Nomizu, M. Okitsu, K. Horie, H. Yokogoshi, P.P. Roller* 84

Class I and IVa $\beta$-tubulin isotypes expressed in adult mouse brain are glutamylated (FEBS 14631) *J. Mary, V. Redeker, J.-P. Le Caer, J.-C. Promé, J. Rossier* 89

Inhibition of fatty acid desaturation in sycamore cells deprived of iron (FEBS 14633) *N. Pascal, A.-J. Dorne* 95

Calmodulin is intrinsically LESS effective than troponin C in activating skeletal muscle contraction (FEBS 14629) *P.W. Brandt, S.E. George, F. Schachat* 99

Effect of ethoxyformic anhydride on the Rieske iron–sulfur protein of bovine heart ubiquinol: cytochrome *c* oxidoreductase (FEBS 14634) *T. Ohnishi, S.W. Meinhardt, G. von Jagow, T. Yagi, Y. Hatefi* 103

The *cis*-element *CE-LPH1* of the rat intestinal lactase gene promoter interacts in vitro with several nuclear factors present in endodermal tissues (FEBS 14639) *R. Boukamel, J.-N. Freund* 108

Isolation, biochemical characterization and N-terminal sequence of rolipram-sensitive cAMP phosphodiesterase from human mononuclear leukocytes (FEBS 14638) *V.H. Truong, T. Müller* 113


## Minireview


Parallel $\beta/\alpha$-barrels of $\alpha$-amylase, cyclodextrin glycosyltransferase and oligo-1,6-glucosidase versus the barrel of $\beta$-amylase: evolutionary distance is a reflection of unrelated sequences (FEBS 14632) *Š. Janeček* 119


## Research Letters


Molecular cloning of the second major allergen, *Cry j* II, from Japanese cedar pollen (FEBS 14635) *M. Namba, M. Kurose, K. Torigoe, K. Hino, Y. Taniguchi, S. Fukuda, M. Usui, M. Kurimoto* 124

The detergent Triton X-100 induces a death pattern in human carcinoma cell lines that resembles cytotoxic lymphocyte-induced apoptosis (FEBS 14636) *M.M. Borner, E. Schneider, F. Pirnia, O. Sartor, J.B. Trepel, C.E. Myers* 129

Serum alleviates the requirement of the granulocyte-macrophage colony-stimulating factor (GM-CSF)-induced Ras activation for proliferation of BaF3 cells (FEBS 14637) *K. Sakamaki, S. Yonehara* 133

Human urokinase receptor expression is inhibited by amiloride and induced by tumor necrosis factor and phorbol ester in colon cancer cells (FEBS 14645) *Y. Wang, C.J. Jones, J. Dang, X. Liang, J.E. Olsen, W.F. Doe* 138

FEBS Letters 353 (1994) 350–352

# Contents to volume 353

## Research Letters


Immunoreactivity of chimeric proteins carrying the HIV-1 epitope IGPGRAF: Correlation between predicted conformation and antigenicity (FEBS 14585) *S.G. Tsiminetzky, E.A. Scodeller, P. Evangelisti, Y. Chen, M. Schiappacassi, F. Porro, F. Bizik, T. Zacchi, G. Lunazzi, S. Miertus, F.E. Baralle* 1

Autophosphorylation of nucleoside diphosphate kinase on non-histidine residues (FEBS 14610) *A.A. Bominaar, A.D. Tepper, M. Véron* 5

Rapid deactivation of MAP kinase in PC12 cells occurs independently of induction of phosphatase MKP-1 (FEBS 14613) *J. Wu, L.F. Lau, T.W. Sturgill* 9

Electrophoretic separation of developmental and adult rabbit skeletal muscle myosin heavy chain isoforms: example of application to muscle denervation study (FEBS 14615) *C. Janmot, A. d'Albis* 13

Epidermal growth factor induces protein tyrosine phosphorylation and association of p190 with ras-GTP-ase activating protein in Caco-2 cells (FEBS 14600) *A. Auricchio, M. di Domenico, G. Castoria, A. Bilancio, A. Migliaccio* 16

Molecular cloning of rat kynurenine aminotransferase: identity with glutamine transaminase K (FEBS 14616) *M. Mosca, L. Cozzi, J. Breton, C. Speciale, E. Okuno, R. Schwarcz, L. Benatti* 21

A unique biosynthetic pathway for gangliosides exists in *Xenopus laevis* oocytes (FEBS 14618) *K.I.-P. Jwa Hidari, Y. Nagai, Y. Sanai* 25

p53 mutant $His^{175}$ identified in a newly established fallopian tube carcinoma cell line secreting interleukin 6 (FEBS 14566) *I.B. Runnebaum, X.W. Tong, V.J. Möbus, D.G. Kieback, H.E. Rosenthal, R. Kreienberg* 29

Inhibition of lipolysis and lipogenesis in isolated rat adipocytes with AICAR, a cell-permeable activator of AMP-activated protein kinase (FEBS 14619) *J.E. Sullivan, K.J. Brocklehurst, A.E. Marley, F. Carey, D. Carling, R.K. Beri* 33

Cloning provides evidence for a family of inward rectifier and G-protein coupled $K^+$ channels in the brain (FEBS 14620) *F. Lesage, F. Duprat, M. Fink, E. Guillemare, T. Coppola, M. Lazdunski, J.-P. Hugnot* 37

Energy migration in allophycocyanin-B trimer with a linker polypeptide: analysis by the principal multi-component spectral estimation (PMSE) method (FEBS 14622) *T. Yamazaki, Y. Nishimura, I. Yamazaki, M. Hirano, K. Matsuura, K. Shimada, M. Mimuro* 43

Ganglioside antigen of DU-PAN-2 in a human pancreatic cancer (FEBS 14617) *Y. Hamanaka, S. Hamanaka, Y. Shinagawa, T. Suzuki, F. Inagaki, M. Suzuki, A. Suzuki* 48

Molecular mechanisms of damage by excess nitrogen oxides: nitration of tyrosine by gas-phase cigarette smoke (FEBS 14624) *J.P. Eiserich, V. Vossen, C.A. O'Neill, B. Halliwell, C.E. Cross, A. van der Vliet* 53

Molecular cloning and chromosomal localization of the human thrombopoietin gene (FEBS 14621) *Y. Sohma, H. Akahori, N. Seki, T. Hori, K. Ogami, T. Kato, Y. Shimada, K. Kawamura, H. Miyazaki* 57

Inhibition by *N*-acetyl-L-cysteine of interleukin-6 mRNA induction and activation of NF$\kappa$B by tumor necrosis factor $\alpha$ in a mouse fibroblastic cell line, Balb/3T3 (FEBS 14627) *M. Shibanuma, T. Kuroki, K. Nose* 62

GDP/GTP exchange reaction-stimulating activity of Rabphilin-3A for *Rab*3A small GTP-binding protein (FEBS 14628) *Y. Fujita, T. Sasaki, K. Araki, K. Takahashi, K. Imazumi, M. Kato, Y. Matsuura, Y. Takai* 67

Long circulating, cationic liposomes containing amino-PEG-phosphatidylethanolamine (FEBS 14626) *S. Zalipsky, E. Brandeis, M.S. Newman, M.C. Woodle* 71

The L-histidine-mediated enhancement of hydrogen peroxide-induced cytotoxicity is a general response in cultured mammalian cell lines and is always associated with the formation of DNA double strand breaks (FEBS 14623) *O. Cantoni, P. Sestili, G. Brandi, F. Cattabeni* 75

Effect of netropsin, distamycin A and chromomycin $A_3$ on the binding and cleavage reaction of DNA gyrase (FEBS 14611) *H. Simon, B. Wittig, C. Zimmer* 79

D-$Val^{22}$ containing human big endothelin-1 analog, [D-$Val^{22}$]Big ET-1[16-38], inhibits the endothelin converting enzyme (FEBS 14625) *A. Morita, M. Nomizu, M. Okitsu, K. Horie, H. Yokogoshi, P.P. Roller* 84

Class I and IVa $\beta$-tubulin isotypes expressed in adult mouse brain are glutamylated (FEBS 14631) *J. Mary, V. Redeker, J.-P. Le Caer, J.-C. Promé, J. Rossier* 89

Inhibition of fatty acid desaturation in sycamore cells deprived of iron (FEBS 14633) *N. Pascal, A.-J. Dorne* 95

Calmodulin is intrinsically LESS effective than troponin C in activating skeletal muscle contraction (FEBS 14629) *P.W. Brandt, S.E. George, F. Schachat* 99

Effect of ethoxyformic anhydride on the Rieske iron–sulfur protein of bovine heart ubiquinol: cytochrome *c* oxidoreductase (FEBS 14634) *T. Ohnishi, S.W. Meinhardt, G. von Jagow, T. Yagi, Y. Hatefi* 103

The *cis*-element *CE-LPH1* of the rat intestinal lactase gene promoter interacts in vitro with several nuclear factors present in endodermal tissues (FEBS 14639) *R. Boukamel, J.-N. Freund* 108

Isolation, biochemical characterization and N-terminal sequence of rolipram-sensitive cAMP phosphodiesterase from human mononuclear leukocytes (FEBS 14638) *V.H. Truong, T. Müller* 113


## Minireview


Parallel $\beta/\alpha$-barrels of $\alpha$-amylase, cyclodextrin glycosyltransferase and oligo-1,6-glucosidase versus the barrel of $\beta$-amylase: evolutionary distance is a reflection of unrelated sequences (FEBS 14632) *Š. Janeček* 119


## Research Letters


Molecular cloning of the second major allergen, *Cry j* II, from Japanese cedar pollen (FEBS 14635) *M. Namba, M. Kurose, K. Torigoe, K. Hino, Y. Taniguchi, S. Fukuda, M. Usui, M. Kurimoto* 124

The detergent Triton X-100 induces a death pattern in human carcinoma cell lines that resembles cytotoxic lymphocyte-induced apoptosis (FEBS 14636) *M.M. Borner, E. Schneider, F. Pirnia, O. Sartor, J.B. Trepel, C.E. Myers* 129

Serum alleviates the requirement of the granulocyte-macrophage colony-stimulating factor (GM-CSF)-induced Ras activation for proliferation of BaF3 cells (FEBS 14637) *K. Sakamaki, S. Yonehara* 133

Human urokinase receptor expression is inhibited by amiloride and induced by tumor necrosis factor and phorbol ester in colon cancer cells (FEBS 14645) *Y. Wang, C.J. Jones, J. Dang, X. Liang, J.E. Olsen, W.F. Doe* 138

Effects of substitutions of amino acids on the thermal stability of the Fv fragments of antibodies (FEBS 14640) *H. Yasui, W. Ito, Y. Kurosawa* 143

The protective function of the xanthophyll cycle in photosynthesis (FEBS 14641) *J.-E. Sarry, J.-L. Montillet, Y. Sauvaire, M. Havaux* 147

A specific carotenoid is required for reconstitution of the *Rubrivivax gelatinosus* B875 light harvesting complex from its subunit form B820 (FEBS 14646) *V. Jirsakova, F. Reiss-Husson* 151

Kinetics of phosphorylation of the SH2-containing domain of phospholipase C$\gamma$1 by the epidermal growth factor receptor (FEBS 14602) *I. Posner, A. Levitzki* 155

A 14 kDa release factor is involved in GTP-dependent $\beta$-tubulin folding (FEBS 14649) *R. Campo, A. Fontalba, L.M. Sanchez, J.C. Zabala* 162

A dual effect of arachidonic acid on $Ca^{2+}$ transport systems in lymphocytes (FEBS 14642) *A.B. Khodorova, E.I. Astashkin* 167

Calcium-sensitive control of rhodopsin phosphorylation in the reconstituted system consisting of photoreceptor membranes, rhodopsin kinase and recoverin (FEBS 14643) *E.N. Gorodovikova, I.I. Senin, P.P. Philippov* 171

The role of the CCA sequence of tRNA in the peptidyl transfer reaction (FEBS 14651) *K. Tamura* 173

Lack of correspondence between the room-temperature phosphorescence decay-components and Trp residues in a series of Trp → Cys or Trp → Phe mutants of human carbonic anhydrase II (FEBS 14654) *N.C.H. Bergenhem, B.D. Schlyer, D.G. Steel, A. Gafni, U. Carlsson, B.-H. Jonsson* 177

Structure of the gene for human uracil–DNA glycosylase and analysis of the promoter function (FEBS 14655) *T. Haug, F. Skorpen, H. Lund, H.E. Krokan* 180

Isolation and characterization of mutants of human mitogen-activated protein kinase (ERK2) (FEBS 14630) *I.S. Krishnan, E.D. Kovacs, P.M. Sass* 185

Calibration and time resolution of lumenal pH-transients in chromatophores of *Rhodobacter capsulatus* following a single turnover flash of light: proton release by the cytochrome $bc_1$-complex is strongly electrogenic (FEBS 14644) *A.Y. Mulkidjanian, W. Junge* 189

Visualisation by electron microscopy of the unique part of the cytoplasmic domain of a desmoglein, a cadherin-like protein of the desmosome type of cell junction (FEBS 14662) *A.J. Rutman, R.S. Buxton, I.D.J. Burdett* 194

Yta10p, a member of a novel ATPase family in yeast, is essential for mitochondrial function (FEBS 14658) *R. Tauer, G. Mannhaupt, R. Schnall, A. Pajic, T. Langer, H. Feldmann* 197

Yta10p is required for the ATP-dependent degradation of polypeptides in the inner membrane of mitochondria (FEBS 14659) *A. Pajic, R. Tauer, H. Feldmann, W. Neupert, T. Langer* 201

Olomoucine, an inhibitor of the cdc2/cdk2 kinases activity, blocks plant cells at the G1 to S and G2 to M cell cycle transitions (FEBS 14648) *N. Glab, B. Labidi, L.-X. Qin, C. Trehin, C. Bergounioux, L. Meijer* 207

Collagen stimulates tyrosine phosphorylation of phospholipase C-$\gamma$2 but not phospholipase C-$\gamma$1 in human platelets (FEBS 14650) *R.A. Blake, G.L. Schieven, S.P. Watson* 212

Phorbol 12-myristate 13-acetic acid inhibits PTP1B activity in human mesangial cells: A possible mechanism of enhanced tyrosine phosphorylation (FEBS 14652) *H. Kiyomoto, B. Fouqueray, H.E. Abboud, G.G. Choudhury* 217

Growth factors stimulate phosphorylation of CTP:phosphocholine cytidylyltransferase in HeLa cells (FEBS 14653) *M. Wieprecht, T. Wieder, C.C. Geilen, C.E. Orfanos* 221

Activation of the mouse cytokeratin A (*endoA*) gene in teratocarcinoma F9 cells by the histone deacetylase inhibitor Trichostatin A (FEBS 14647) *T. Miyashita, H. Yamamoto, Y. Nishimune, M. Nozaki, T. Morita, A. Matsushiro* 225

Errata 230

## Research Letters

Equivalent regulation of wild type and an epitope-tagged variant of $G_i\alpha$ by the IP prostanoid receptor following expression in neuroblastoma × glioma hybrid, NG108-15, cells (FEBS 14656) *I. Mullaney, G. Milligan* 231

Specific thiol compounds complement deficiency in *c*-type cytochrome biogenesis in *Escherichia coli* carrying a mutation in a membrane-bound disulphide isomerase-like protein (FEBS 14666) *Y. Sambongi, S.J. Ferguson* 235

Stable expression of VLA-4 and increased maturation of the $\beta_1$-integrin precursor after transfection of CHO cells with $\alpha_{4m}$ cDNA (FEBS 14667) *M. Jaspers, C. de Meirsman, E. Schollen, S. Vekemans, J.-J. Cassiman* 239

Selective inactivity of TGF-$\beta$/decorin complexes (FEBS 14657) *H. Hausser, A. Gröning, A. Hasilik, E. Schönherr, H. Kresse* 243

Intense oxidative DNA damage promoted by L-DOPA and its metabolites: Implications for neurodegenerative disease (FEBS 14669) *J.P.E. Spencer, A. Jenner, O.I. Aruoma, P.J. Evans, H. Kaur, D.T. Dexter, P. Jenner, A.J. Lees, D.C. Marsden, B. Halliwell* 246

Changes in activation gating of $I_{sK}$ potassium currents brought about by mutations in the transmembrane sequence (FEBS 14671) *G.G. Wilson, A. Sivaprasadarao, J.B.C. Findlay, D. Wray* 251

Cloning and expression of mRNA encoding prepro-gonad-inhibiting hormone (GIH) in the lobster *Homarus americanus* (FEBS 14668) *D.P.V. de Kleijn, F.J.G.T. Sleutels, G.J.M. Martens, F. Van Herp* 255

A comparison and analysis of the toxicity and receptor binding properties of *Bacillus thuringiensis* CryIC ∂-endotoxin on *Spodoptera littoralis* and *Bombyx mori* (FEBS 14670) *V. Sanchis, J. Chaufaux, D. Pauron* 259

Phosphorylation of synapsin I and MARCKS in nerve terminals is mediated by $Ca^{2+}$ entry via an Aga-GI sensitive $Ca^{2+}$ channel which is coupled to glutamate exocytosis (FEBS 14674) *E.T. Coffey, T.S. Sihra, D.G. Nicholls, J.M. Pocock* 264

Expression of GATA-binding transcription factors in rat hepatocytes (FEBS 14675) *K. Matsuda, Y. Kobune, C. Noda, A. Ichihara* 269

Asymmetric binding of the primary acceptor quinone in reaction centers of the photosynthetic bacterium *Rhodobacter sphaeroides* R26, probed with Q-band (35 GHz) EPR spectroscopy (FEBS 14660) *J.S. van den Brink, A.P. Spoyalov, P. Gast, W.B.S. van Liemt, J. Raap, J. Lugtenburg, A.J. Hoff* 273

Ras antagonizes cAMP stimulated glucagon gene transcription in pancreatic islet cell lines (FEBS 14663) *R. Gherzi, P. Briata, H.-C. Fehmann, B. Göke* 277

MAP kinase binds to the $NH_2$-terminal activation domain of c-Myc (FEBS 14665) *S. Gupta, R.J. Davis* 281

Water-soluble GTP-binding protein from rat olfactory epithelium (FEBS 14664) *V.I. Novoselov, I.V. Peshenko, V.J. Evdokimov, J.V. Nikolaev, E.A. Matveeva, E.E. Fesenko* 286

JAK3 Janus kinase is involved in interleukin 7 signal pathway (FEBS 14678) *Y.-X. Zeng, H. Takahashi, M. Shibata, K. Hirokawa* 289

A new additive for protein crystallization (FEBS 14673) *L. Vuillard, T. Rabilloud, R. Leberman, C. Berthet-Colominas, S. Cusack* 294

Inactivation of the Na,K-ATPase by radiation-induced free radicals: Evidence for a radical-chain mechanism (FEBS 14680) *K. Hitschke, R. Bühler, H.-J. Apell, G. Stark* 297

A cytoplasmic domain is required for the functional interaction of SRI and HtrI in archaeal signal transduction (FEBS 14681) *M. Krah, W. Marwan, D. Oesterhelt* 301

cDNA cloning of a cytosolic protein tyrosine phosphatase (RKPTP) from rat kidney (FEBS 14677) *T. Moriyama, S. Kawanishi, T. Inoue, E. Imai, T. Kaneko, C. Xia, M. Takenaka, T. Noguchi, T. Kamada, N. Ueda* 305

Sequence-specific hypomethylation of the tobacco genome induced with dihydroxypropyladenine, ethionine and 5-azacytidine (FEBS 14661) *A. Kovařík, B. Koukalová, A. Holý, M. Bezděk* 309

Inactivation of *Acacia confusa* trypsin inhibitor by site-specific mutagenesis (FEBS 14679) *C.-H. Hung, M.-C. Lee, J.-Y. Lin* 312

Synaptotagmin I is essential for $Ca^{2+}$-independent release of neurotransmitter induced by α-latrotoxin (FEBS 14682) *Y. Shoji-Kasai, A. Yoshida, A. Ogura, R. Kuwahara, A. Grasso, M. Takahashi* 315

Fusion complex formation protects synaptobrevin against proteolysis by tetanus toxin light chain (FEBS 14683) *L.L. Pellegrini, V. O'Connor, H. Betz* 319

The primary structure of cytochrome P460 of *Nitrosomonas europaea*: presence of a *c*-heme binding motif (FEBS 14685) *D.J. Bergmann, A.B. Hooper* 324

The calpain–calpastatin system is regulated differently during human neuroblastoma cell differentiation to Schwannian and neuronal cells (FEBS 14688) *Y. Saito, T.C. Saido, K. Sano, S. Kawashima* 327

Effect of substitution of hemagglutinin-neuraminidase with influenza hemagglutinin on Sendai virus F protein mediated membrane fusion (FEBS 14689) *S. Bagai, D.P. Sarkar* 332

Errata 337

Author index to volume 353 345

Contents to volume 353 350